

Serial No. 09/869,079


**Amendment to the Drawings**

The amendment to the drawings is attached hereto as a replacement sheet for Fig. 1.

**REMARKS**

In response to the Notification of Defective Response, dated December 5, 2002, enclosed herewith is a computer readable Sequence Listing, a paper copy and the required Verification Statement Under 37 C.F.R. 1.821(f). This response is also accompanied by a Petition for Revival of an Application for Patent Abandoned Unintentionally Under 37 C.F.R. 1.137(b). As indicated in the Notification, although Applicants originally provided a computer readable Sequence Listing, the copy provided did not comply with 37 C.F.R. §§ 1.821-1.825. Applicants respectfully submit that all of the requirements for the Notification have now been met. Early consideration and prompt allowance of the pending claims are respectfully requested.

Respectfully Submitted,

  
Laura A. Donnelly  
Registration No. 38,435

Johnson & Johnson  
One Johnson & Johnson Plaza  
New Brunswick, NJ 08933-7003  
(732) 524-1729 (direct)  
(732) 524-2134 (facsimile)

Dated: September 30, 2003

Enclosures:

Revised Fig. 1  
Computer Readable Sequence Listing  
Paper Copy  
Verification Statement Under 37 C.F.R. 1.821(f)